



EPMware Release Notes

Release 25.08.98 - Revised 8/11/25

Copyright © 2025 EPMware Software. All rights reserved.

Any warranty with respect to the software or its functionality will be expressly given in the Subscription License Agreement or Software License and Services Agreement between EPMware and the warrantee. This document does not itself constitute a representation or warranty with respect to the software or any related matter.

EPMware Software and the EPMware logo are trademarks of EPMware Software in the United States and other countries. Oracle, Hyperion and OneStream are registered trademarks or trademarks of Oracle and OneStream Software Corporation in the United States and/or other countries. EPMware is a registered trademark of EPMware, Inc. Other names may be trademarks of their respective owners.

Release 25.08.98 Notes

Test Release Date: Aug 8th, 2025, **Production Release Date:** Aug 22nd, 2025

Agent Update

An Agent update is Required

Introduction

EPMware Release 25.08.98

This is a minor release containing new features and enhancements to existing features, and API additions. The features of this release were developed to enhance the design capabilities, performance, and improve ease of use of applications. System administrators and users will benefit from the enhancements across their application.

Improvements

EW-2287 - Added a new feature to poll On Premise Agent status from the application

Description

This enhancement will provide real-time visibility into the agent's status. This is a new feature introduced to monitor the On Premise server Agents directly from the EPMware application. This feature will help administrators to be notified as soon as any agent on the server is down so that corrective action can be taken. The following are pre-requisites and steps to configure agent polling:

New fields added on the **Server Configuration** screen:

Add Server Information

* Name:

* Server Name:

On Premise Agent: ☒

Enable Agent Polling: ☐

Description:

User Name:

Password:

OR

Identity Key:


* Required

Test Connection Save Cancel

1. Download epmware-agent.jar file from AWS
2. Configure Agent Polling in EPMWARE application

Download a new JAR file from AWS.

Login to AWS using credentials provided in email and download jar file from AWS as shown below:



Note: Do not click on the file to download. Click on the checkbox next to the file name and then click on the download button.

Copy JAR file on On Premise Servers.

Copy JAR file to each server where the agent is installed. Stop agent and restart the agent after the copy.

Configure Agent Polling

- Login to the EPMWARE application and navigate to the Configuration -> Infrastructure -> Server page.
- Using the Edit Properties menu, enable agent polling as shown below.

Server Properties

* Name:

* Server Name:

On Premise Agent: ☒

Enable Agent Polling: ☒

Agent Polling Interval (minutes):

Agent No Response Email Template:

- Adjust polling time as needed.
- Default Email Template uses “Default” Security Group to send notifications to users who are part of that group. Change the Group name in the email template OR assign a fixed email address in that email template.

Agent Poll Status

The Server Details page will show the last poll time in the grid as shown below.

Manage Servers

Configuration Properties

+ ↺

Name	Server Name	On Premise Agent	User Name	Password	Description	Enable Agent Polling	Last Access Time	Agent Poll
54.152.128.55	54.152.128.55	☒	epm_admin	*****		☐		
AWS OAC	AWS_OAC	☒	ew_demo_user	*****	OneStream is running on onestream....	☒	a few seconds ago	5
BSO ALL S3 file Deploy	BSO ALL S3 file Deploy	☒	admin	*****		☐		
EW12	EW12	☒			HPCM Server	☐		
EW6	ew6.epmware.com	☒			112	☒	a minute ago	3
EW8	EW8_11_2	☒				☐		
EW9	EPM 11.2 Server	☒				☐		
EW_AWS_CLOUD_SERVER	EW_AWS_CLOUD_SERVER	☒			EPMWARE Server on AWS used to dep...	☐		
EW_ESSBASE_21C	EW_ESSBASE_21C	☒			essbase21c.epmwarecloud.com	☐		
MDT_AWS_S3	MDT_AWS_S3	☒				☐		

Showing 1 to 10 of 11 entries

First Previous

Default Email Template

Change the Recipients as required. The Default security group is used to notify users in the template.

Email Templates

+

↺

⌵

Name

FYI: Admin Errors
FYI: Approve Request
FYI: Deploy Task
FYI: Deployment Details
FYI: ERP Import Failed
FYI: ERP Import Success
FYI: FDMEE Data Load Exec
FYI: Mass Approval
FYI: Notify Users
FYI: On Premise Agent Not
FYI: Recall Request from W
FYI: Request Approval Remi
FYI: Request Line User Acti
FYI: Review Request
FYI: Validate Request
FYI: Workflow Custom Task
FYI: Workflow Task Failed
PAYSAFE_DGL_VALIDATION

Email Template

* Template Name:

FYI: On Premise Agent Not Responding

Description:

Send alert to notify when On-Premise Agent is not responding

* Email Subject:

Alert: No Response from On-Premise Agent

To:

<SEC_GROUP_NAME:Default>

Cc:

Bcc:

From:

* Email Body:

This is to notify that there is no response from the On-Premise Agent for the last
<AGENT_POLLING_INTERVAL> Minutes.

Server details are below :

Name : <NAME>
Server Name : <SERVER_NAME>

* Required

Save

Cancel

EW-2300 - Display Enabled Export Profiles sorted to the top of the popup in Export Book Configuration

EW-2309 - Display Download popup when exporting metadata from Metadata Explorer and on the Request pages to avoid files being blocked by a popup blocker.

Description

Previously on the Metadata Explorer/Create Request page, when the user clicks "Download Metadata", a file gets generated and a pop-up appears to save it.

But if the browser blocked pop-ups, the user wasn't able to download the file and needed to manually enable pop-ups and regenerate the file.

EW-2316 - Enhance Formula Display in Property Changes Popup on Create Request Page for OneStream App

Description

On the Create Request page, the 'Property Changes' popup (showing Prior vs New values) didn't display the full formula. As an improvement, we display the first 100/200 characters followed by a '...' label. Clicking it will open a popup showing the full formula along with a copy button.

EW-2319 - Create an API to find a branch member within a hierarchy at a specific Level which qualifies a given list

Description

An API has been added to retrieve branch members within a hierarchy at a specified level, based on a given list of members. This function is useful for scenarios where specific levels of branch members are needed, such as in Derived Properties or Export.

- **API Function:**
 - **Function Name:** `get_branch_member_qualified`
 - **Parameters:**
 - `p_app_dimension_id`: The app dimension ID
 - `p_top_member_name`: The top member name
 - `p_member_name`: The member name to search for
 - `p_levels`: Levels to check (e.g., "3,5,8,6")
 - `p_level_lists`: List of values for each level (e.g., "A101,A102,A601~A701,A702")
 -
 - **Return Value:** The function returns the member at the specified level that matches one of the levels in the list, or null if none match.

Bug Fixes

EW-2315 - Insert Shared Member Issue with Root member pagination

Description

The *Insert Shared Member* pop-up didn't display all the members when there are a large number of nodes under the root. It didn't show the **"Show next 500 rows"** label.

EW-2318 Audit Report - Configuration→ Lookup Codes did not display details

The screenshot shows the EPMware Audit Report interface. At the top, there are two tabs: "Reports" (selected) and "Recent". Below the tabs, there is a "Reports" section with three dropdown menus: "Report Group:" (set to "Configurations"), "Reports:" (set to "Lookup Codes"), and "Report Format:" (set to "CSV"). To the right of these dropdowns is a blue "Submit Report" button. Below the "Reports" section is a "Report Parameters" section with two text input fields: "Lookup Name (Use * as wildcard)" and "Lookup Code (Use * as wildcard)".

Description

If a wildcard was used to filter the results the report was not returning any results

Contact EPMware Support

<http://epmware.com/support>

support@epmware.com